

A1
cmld.
variety of services can be provided.

IN THE CLAIMS

Please amend claims 1-16 by rewriting same to read as follows.

--1. (Amended) A service providing system, including, at least, a plurality of electronic appliances, a service server, and a communication network,

each electronic appliance being equipped with a wireless communication terminal function, being mounted in a moving body, and being assigned a unique device ID, and

A2
cmld.
the service server having a function for providing a predetermined service and storing said unique device ID for each electronic appliance to which service can be provided,

the service providing system comprising;

transmission means for using said unique device ID to provide access, via the communication network, from the service server to a specified electronic appliance to which a specified service needs to be provided and transmitting service information, which has a predetermined content for realizing the specified service, to the specified electronic appliance.

--2. (Amended) A service providing system, including, at least, a plurality of electronic appliances, a service server, and a communication network,

each electronic appliance being equipped with a wireless communication terminal function, being mounted in a moving body, and being assigned a unique device ID, and

the service server having a function for providing a predetermined service and storing said unique device ID for each electronic appliance to which services can be provided,

the service providing system comprising:

first transmission means for providing access, via said communication network, from one of said electronic appliances to said service server and transmitting information which has a predetermined content that can be used by a specified service from said electronic appliance to said service server; and

second transmission means for using said unique device ID to provide access, via said communication network, from said service server to a specified electronic appliance to which a specified service needs to be provided and transmitting service information, which has a predetermined content for realizing the specified service, to the specified electronic appliance.

A2
Cm.t

--3. (Amended) A service providing system, including, at least, a plurality of electronic appliances, a plurality of mobile communication terminal apparatuses, and a communication network,

each electronic appliance being equipped with a wireless communication terminal function, being mounted in a moving body, and being assigned a unique device ID, and

each mobile communication terminal apparatus being assigned a unique terminal ID,

the service providing system comprising:

transmission means for using said unique device ID to provide access, via said communication network, from one of said mobile communication terminal apparatuses to a specified electronic appliance, and transmitting service information, which includes a predetermined content for realizing a specified service to be provided, to the specified electronic appliance.

--4. (Amended) A service providing system, including, at least, a

plurality of electronic appliances, a plurality of mobile communication terminal apparatuses, and a communication network,

each electronic appliance being equipped with a wireless communication terminal function, being mounted in a moving body and being assigned a unique device ID, and

each mobile communication terminal apparatus being assigned a unique terminal ID,

the service providing system comprising;

first transmission means for providing access, via the communication network, from one of said electronic appliances to one of the mobile communication terminal apparatuses and transmitting information, which has a predetermined content that can be used by a specified service, from the one of said electronic appliances to said one of the mobile communication terminal apparatuses; and

second transmission means for using said unique device ID to provide access, via said communication network, from one of said mobile communication terminal apparatuses to a specified electronic appliance and transmitting service information, which has a predetermined content for realizing a specified service, to the specified electronic appliance.

--5. (Amended) A service providing system, composed of an electronic appliance, a communication network, a communication terminal apparatus, and an authentication server,

the electronic appliance being one of an electronic appliance that is mounted in a moving body and is equipped with a mobile communication terminal function

and a mobile communication terminal apparatus with a fixed access path to the communication network, and

the authentication server being connected to said communication network,
the service providing system comprising:

access means that enables the communication terminal apparatus to access
the electronic appliance via the communication network using a device ID that
has been assigned uniquely to the electronic appliance, the communication
terminal apparatus accessing the electronic appliance only through the
authentication server;

terminal ID generating means, provided on said communication network,
for generating a terminal ID for said communication terminal apparatus using
information that identifies said fixed access path by which said communication
terminal apparatus accesses said communication network;

A2
cm.t
authentication process means, provided in said authentication server,
for using said terminal ID to perform an authentication process for said
communication terminal apparatus that has accessed the authentication server
and allowing said communication terminal apparatus to access said electronic
appliance only when the communication terminal apparatus has been
authenticated; and

transmission/reception means for receiving and transmitting service
information, which has a predetermined content for realizing a specified
service, between said communication terminal apparatus that has been
authenticated by said authentication process means and said electronic
appliance.

--6. (Amended) A communication system where data communication is
performed between a plurality of communication appliances via a network,

the communication system comprising:

a plurality of electronic appliances, each equipped with a wireless
communication function and having a unique device ID for identifying the

electronic appliance,

a wireless communication apparatus for connecting to said network and performing wireless communication that specifies one of the electronic appliances using said unique device ID; and

an authentication apparatus connected to said network and including group information for each of a plurality of groups of said electronic appliances to which unrestricted data communication can be performed, the group information being associated with the unique device IDs of the electronic appliances in the group, the authentication apparatus judging whether unrestricted data communication can be performed, based on the unique device ID of a electronic appliance and the group information, and controlling the wireless communication apparatus.

A2
Cm.T

--7. (Amended) The communication system according to Claim 6, wherein said electronic appliance comprises a first electronic appliance, said unique device ID comprises a first unique device ID, and said wireless communication function comprises a first wireless communication function, further comprising:

a plurality of second electronic appliances, each of which having a second wireless communication function and a second unique device ID; and

a communication apparatus for communicating with one of said second electronic appliances and connecting to said network, receiving said second unique device ID from said second electronic appliance, and transmitting to said authentication apparatus a communication means ID that specifies communication means that is communicating with said second electronic appliance and further transmitting to said authentication apparatus said received second device ID.

--8. (Amended) The communication system according to Claim 7,
wherein the group information provided in said authentication apparatus
further controls said second electronic appliance by associating each of said
second unique device IDs of the second electronic appliances with said
communication means ID.

--9. (Amended) A communication apparatus for controlling communication
between a plurality of electronic appliances, each electronic appliance being
connected to a network, being provided with a unique device ID for identifying
the electronic appliance, and being capable of transmission,

the communication apparatus comprising:

A2
Cm't
communication means for communicating with another communication
apparatus via said network;

storage means for storing group information in which the plurality of
electronic appliances, which are permitted to communicate between themselves
after the communication is authenticated, are registered as a group;

judgement means for judging, based on unique device IDs transmitted via
the network before communication commences between said plurality of
electronic appliances and group information stored in said storage means,
whether the communication is permitted; and

control means for having said communication means transmit a result of
said judgement means to an exchange apparatus that is connected to said
network and performs an exchange process for communication between electronic
appliances based on the transmitted unique device IDs.

--10. (Amended) The communication apparatus according to Claim 9,
wherein a wireless communication is performed between said electronic
appliances and the exchange apparatus.

--11. (Amended) The communication apparatus according to Claim 10, wherein said electronic appliances are navigation apparatuses.

--12. (Amended) The communication apparatus according to Claim 10, wherein said electronic appliances are mobile telephones.

--13. (Amended) The communication apparatus according to Claim 9, wherein each of said electronic appliances is connected to said communication means in said exchange apparatus, and

*A2
Cmell*
when communicating, each of said electronic appliances transmits said unique device ID to said communication apparatus, said exchange apparatus transmits a communication means ID for specifying said communication means to said communication apparatus,

said communication apparatus authenticates said electronic appliance based on said group information, by referring to a combination of said transmitted unique device ID and said transmitted communication means ID.

--14. (Amended) The communication apparatus according to Claim 11, wherein the group information is generated when an electronic appliance communicates with the communication apparatus via the network.

--15. (Amended) The communication apparatus according to Claim 9, wherein the group information also includes content data that can be used by the electronic appliances which are registered in the group information.

--16. (Amended) The communication apparatus according to Claim 15, wherein the content data is geographical data.